

The MEANS Procedure

Analysis Variable : PULSE1 First pulse measurement (bpm)									
Gender	N Obs	N	Mean	Std Dev	Minimum	Lower Quartile	Median	Upper Quartile	Maximum
Male	58	58	73.914	13.755	49.000	66.000	74.500	80.000	145.000
Female	49	49	76.653	11.233	47.000	70.000	76.000	83.000	104.000

The MEANS Procedure

Analysis Variable : PULSE1 First pulse measurement (bpm)									
Regular smoker?	N Obs	N	Mean	Std Dev	Minimum	Lower Quartile	Median	Upper Quartile	Maximum
Yes	11	11	77.545	9.575	65.000	70.000	76.000	88.000	92.000
No	96	96	74.896	13.000	47.000	68.000	75.000	80.000	145.000

The MEANS Procedure

Analysis Variable : PULSE1 First pulse measurement (bpm)									
Regular drinker?	N Obs	N	Mean	Std Dev	Minimum	Lower Quartile	Median	Upper Quartile	Maximum
Yes	67	67	75.657	13.924	49.000	66.000	76.000	84.000	145.000
No	40	40	74.350	10.381	47.000	70.000	74.500	80.000	104.000

The MEANS Procedure

Analysis Variable : PULSE1 First pulse measurement (bpm)									
Frequency of exercise	N Obs	N	Mean	Std Dev	Minimum	Lower Quartile	Median	Upper Quartile	Maximum
High	14	14	68.643	12.689	49.000	60.000	68.500	76.000	96.000
Moderate	57	57	75.474	14.121	47.000	68.000	75.000	80.000	145.000
Low	36	36	77.222	9.302	52.000	70.500	78.000	84.500	92.000

The MEANS Procedure

Analysis Variable : PULSE1 First pulse measurement (bpm)									
Whether the student ran or sat	N Obs	N	Mean	Std Dev	Minimum	Lower Quartile	Median	Upper Quartile	Maximum
Ran	45	45	75.178	15.491	47.000	68.000	75.000	82.000	145.000
Sat	62	62	75.161	10.309	52.000	68.000	75.500	80.000	104.000